HEATING SOLUTIONS GROUP

Customer Portal User Tutorial



smiths



Getting Started

Go to tutco.com in your web browser Click on the red Customer Portal Button at the top of the page



Register for a new account or login to get started

smiths



Creating Quote for Customer Username New Quote	
Quote Date: June 8, 2020	
Job or Quote Name Test Quote	
10 / 30 Your Customer Name Dan Tutco	
9 / 30 Your Name or Company Name Company ABC	Click here t
Not Required 11 / 30 Comments or Notes	start quotin





smiths



Add New Quote Line Item



smiths



Heater Control

 SCR (Analog signal required) Step Controller (Analog signal required) Fan interlock Heater Interlock (Enable / Disable Heater) 	 Time Delay I Find Point Point	Airflow Switch (adjustable)	
Safety			
Power Fusing	Disconnect Switch	Protective Screen	Choose desired
Control Transformer			accessories and options
Control Transformer?	Control Transformer Secondary Fusing?		Recommended options include Control
			These are optional and can be removed
Thermostat			These are optional and can be removed
Thermostat	Thermostat with Remote Sensor	Thermostat with Duct Sensor	
		Charles Otacl Classed Deal	
80/20 Wire	Derate to 25 Watts		
Control Box Pilot Lights Pilot Light (Heater power ON) Pilot Light (Heater Energized) Pilot Light (Stage ON, 1 per stage)	 Pilot light (Airflow switch open) Vapor Barrier Dust Tight Box Outdoor Rated 	Stainless Steel Construction	Add heater to quote once editing is complete
	SAVE CHANGES		
		www.tutco.com	



Your submission has errors. Please review the items in red below.

Add New Quote Line Item

Product EDH – Electric Duct Heater	Quantity of this size
Use drop down arrow to select options	Additional sizes can be added once this item has been completed
Duct Dimensions – External	E-Series - Flip-Able Duct Heater - Specifically designed, dev and left handed designs or up and down flow designs.
Width (in.) 20	Air Flow
Height (in.) 20	Base Heater
Do you have internal insulation or double-wall duct?	Slip-in Construction
Mount Type: 💿 Slip-in 🔘 Flange	·

If the program detects a design issue or error, a red bar will appear at the top of the page. Heater cannot be added to quote until correction is made.

-

General Specifications

Voltage / Phase 480/3/60/L1-L3 480V 3 Phase 60Hz

Number of Stages

2

Description of design issue or error will appear on the page in red for correction

smiths



Item added! The following accessories were automatically added to your configuration: Disconnect Contactor, Manual Reset

TQ000 Quote Date: Status: Ship To: Ship From:	40072 - Test Quote	uents:			autor optio heate	natically add any ns necessary for er design and function	
ltems		+	NEW ITEM			Search	Q
	Line # Product	Quantity	Size	k₩	Tagging	Unit Price	
\bigcirc	1 EDH – Electric Duct Heater	1	20in. x 20in.	10kW	Add a	additional items or hit	









This quote has been submitted. DOWNLOAD QUOTE 📘

TQ00040072 - Test Quote 🍺





HEATING SOLUTIONS GROUP

Thank You!

Please contact <u>customerservice@tutco.com</u> with any questions regarding the customer portal.

smiths